

SAFETY DATA SHEET

| Creation Date 02-Feb-2010 | Revision Date 13-Feb-2014 | Revision Number 1 |
|---------------------------|--|-------------------|
| 1. Identification | | |
| Product Name | Ethylene glycol | |
| Cat No. : | AC146750000; AC146750010; AC146750025; | ; AC146750250 |
| Synonyms | Monoethylene glycol; 1,2-Ethanediol | |
| Recommended Use | Laboratory chemicals | |
| Uses advised against | No Information available | |
| | | |

Details of the supplier of the safety data sheet

Company Fisher Scientific One Reagent Lane Fair Lawn, NJ 07410 Tel: (201) 796-7100 Entity / Business Name Acros Organics One Reagent Lane Fair Lawn, NJ 07410

Emergency Telephone Number For information US call: 001-800-ACROS-01 / Europe call: +32 14 57 52 11 Emergency Number US:001-201-796-7100 / Europe: +32 14 57 52 99 CHEMTREC Tel. No.US:001-800-424-9300 / Europe:001-703-527-3887

2. Hazard(s) identification

Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Acute oral toxicity Specific target organ toxicity (single exposure) Target Organs - Central nervous system (CNS). Specific target organ toxicity - (repeated exposure) Target Organs - Kidney, Liver.

Label Elements

Signal Word Warning Category 2

Category 4

Category 3

Hazard Statements

Harmful if swallowed

May cause drowsiness or dizziness May cause damage to organs through prolonged or repeated exposure



Precautionary Statements Prevention

Wash face, hands and any exposed skin thoroughly after handling Do not eat, drink or smoke when using this product Do not breathe dust/fume/gas/mist/vapors/spray Use only outdoors or in a well-ventilated area Response Get medical attention/advice if you feel unwell Inhalation IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing Call a POISON CENTER or doctor/physician if you feel unwell Ingestion IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell Rinse mouth Storage Store in a well-ventilated place. Keep container tightly closed Store locked up Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

None identified

3. Composition / information on ingredients

Haz/Non-haz

| Component | CAS-No | Weight % |
|-----------------|----------|----------|
| Ethylene glycol | 107-21-1 | >95 |

4. First-aid measures

| Eye Contact | Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Obtain medical attention. | |
|---------------------------------|---|--|
| Skin Contact | Wash off immediately with plenty of water for at least 15 minutes. Get medical attention immediately if symptoms occur. | |
| Inhalation | Move to fresh air. If breathing is difficult, give oxygen. Do not use mouth-to-mouth resuscitation if victim ingested or inhaled the substance; induce artificial respiration with a respiratory medical device. Get medical attention immediately if symptoms occur. | |
| Ingestion | Do not induce vomiting. Call a physician or Poison Control Center immediately. | |
| Most important symptoms/effects | No information available | |
| | | |

Notes to Physician

Treat symptomatically.

5. Fire-fighting measures

Suitable Extinguishing Media Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide. **Unsuitable Extinguishing Media** No information available. Flash Point 116°C / 240.8°F Method -No information available. **Autoignition Temperature** 413°C / 775.4°F **Explosion Limits** Upper 15.30 vol % 3.20 vol % Lower Sensitivity to mechanical No information available. impact Sensitivity to static discharge No information available.

Specific Hazards Arising from the Chemical

Thermal decomposition can lead to release of irritating gases and vapors. Keep product and empty container away from heat and sources of ignition.

Hazardous Combustion Products Carbon monoxide (CO), Carbon dioxide (CO₂).

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

NFPA

| Health 2 | Flammability 1 | Instability 0 | Physical hazards N/A |
|---|--|------------------------------------|------------------------------|
| | 6. Accidental re | lease measures | |
| Personal Precautions | Ensure adequate ventilation | n. Use personal protective equip | oment. |
| Environmental Precautions | Should not be released into Information. | the environment. See Section | 12 for additional ecological |
| Methods for Containment and Clean Up | Soak up with inert absorbe | nt material. Keep in suitable, clo | sed containers for disposal. |
| | 7. Handling | and storage | |

| Handling | Wear personal protective equipment. Ensure adequate ventilation. Do not breathe vapors or spray mist. Avoid contact with skin, eyes and clothing. |
|----------|---|
| Storage | Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from heat and sources of ignition. |

8. Exposure controls / personal protection

Exposure Guidelines

| I | Component | ACGIH TLV | OSHA PEL | NIOSH IDLH |
|---|-----------------|--------------------------------|--|------------|
| | Ethylene glycol | Ceiling: 100 mg/m ³ | (Vacated) Ceiling: 50 ppm | |
| | | | (Vacated) Ceiling: 125 mg/m ³ | |

| Component | Quebec | Mexico OEL (TWA) | Ontario TWAEV |
|-----------------|--------------------------------|-----------------------------|----------------------------|
| Ethylene glycol | Ceiling: 50 ppm | Peak: 100 mg/m ³ | CEV: 100 mg/m ³ |
| | Ceiling: 127 mg/m ³ | | _ |

Legend

ACGIH - American Conference of Industrial Hygiene **OSHA** - Occupational Safety and Health Administration

| Engin | eerina | Measures | |
|-------|--------|----------|--|

Ensure adequate ventilation, especially in confined areas. Ensure that eyewash stations and safety showers are close to the workstation location.

| onal Protective Equipment | |
|---------------------------|--|
| Eye/face Protection | Wear appropriate protective eyeglasses or chemical safety goggles as described by OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard EN166 |
| | |

Skin and body protection Wear appropriate protective gloves and clothing to prevent skin exposure

Respiratory Protection Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced

Hygiene Measures Handle in accordance with good industrial hygiene and safety practice

9. Physical and chemical properties

| Physical State Appearance Odor Odor Threshold pH Melting Point/Range Boiling Point/Range Flash Point Evaporation Rate Flammability (solid,gas) Flammability or explosive limits Upper Lower Vapor Pressure Vapor Density Relative Density Solubility Partition coefficient; n-octanol/water Autoignition Temperature | viscous liquid No information available. odorless No information available. 5.5-7.5 50% aq. sol. -13° C / 8.6° F 196 - 198°C / $384.8 - 388.4^{\circ}$ F@ 760 mmHg 116°C / 240.8°F No information available. No information available. 15.30 vol % 3.20 vol % 0.12 mmHg @ 20 °C 2.14 (Air = 1.0) 1.113 Soluble in water No data available 413°C / 775.4°F > 500°C |
|--|---|
| , | |
| Decomposition temperature | > 500°C |
| Viscosity | 21 cP (20°C) |
| Molecular Formula | C2 H6 O2 62.06 |
| Molecular Weight | 02.00 |

10. Stability and reactivity

Reactive Hazard

None known, based on information available.

Stability

Hygroscopic.

| Conditions to Avoid | Incompatible products. Excess heat. Exposure to moist air or water. |
|----------------------------------|---|
| Incompatible Materials | Strong oxidizing agents, Strong acids, Strong bases, Aldehydes |
| Hazardous Decomposition Products | Carbon monoxide (CO), Carbon dioxide (CO ₂) |
| Hazardous Polymerization | Hazardous polymerization does not occur. |
| Hazardous Reactions | None under normal processing. |

11. Toxicological information

Acute Toxicity

Component Information

| Component | | LD50 Oral | | LD50 Dermal | LC50 | nhalation |
|----------------------------------|------------------|-----------------------------|------------------|---------------------|-----------------------|--------------|
| Ethylene glycol | | 4000 mg/kg (Rat) | 9530 |) µL/kg (Rabbit) | No | t listed |
| Toxicologically Syne Products | rgistic | No information available | 2. | | | |
| Delayed and immedia | ate effects as v | vell as chronic effects fro | m short and I | ong-term exposur | e | |
| rritation | | May cause eye, skin, ar | nd respiratory t | ract irritation | | |
| Sensitization | | No information available |) . | | | |
| Carcinogenicity | | The table below indicate | es whether eac | h agency has listed | l any ingredient as a | a carcinogen |
| Component | CAS-No | IARC | NTP | ACGIH | OSHA | Mexico |
| Component | 107-21-1 | Not listed | Not listed | Not listed | Not listed | Not listed |

| Mutagenic Effects | Mutagenic effects have occurred in humans. |
|---|---|
| Reproductive Effects | Experiments have shown reproductive toxicity effects on laboratory animals. |
| Developmental Effects | Developmental effects have occurred in experimental animals. |
| Teratogenicity | No information available. |
| STOT - single exposure | Central nervous system (CNS). |
| STOT - repeated exposure | Kidney, Liver. |
| Aspiration hazard | No information available. |
| Symptoms / effects, both acute and delayed | No information available. |
| Endocrine Disruptor Information | No information available |
| Other Adverse Effects | See actual entry in RTECS for complete information. |
| | |

12. Ecological information

Ecotoxicity

Do not empty into drains.

| Component | Freshwater Algae | Freshwater Fish | Microtox | Water Flea |
|-----------------|---------------------------|----------------------------|------------|------------------------|
| Ethylene glycol | 6500 - 13000 mg/L EC50 96 | 16000 mg/L LC50 96 h | Not listed | 46300 mg/L EC50 = 48 h |
| | h | 27540 mg/L LC50 96 h | | - |
| | | 40761 mg/L LC50 96 h | | |
| | | 41000 mg/L LC50 96 h | | |
| | | 14 - 18 mĽ/L LC50 96 h | | |
| | | 40000 - 60000 mg/L LC50 96 | | |
| | | h | | |

Persistence and Degradability

No information available.

Bioaccumulation/ Accumulation No information available

Mobility

| Component | log Pow |
|-----------------|---------|
| Ethylene glycol | -1.93 |
| | |

13. Disposal considerations

Waste Disposal Methods

Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

| 14. Transport information | |
|---------------------------|--|
|---------------------------|--|

| DOT | Not regulated |
|----------|---------------|
| TDG | Not regulated |
| ΙΑΤΑ | Not regulated |
| IMDG/IMO | Not regulated |

15. Regulatory information

International Inventories

| Component | TSCA | DSL | NDSL | EINECS | ELINCS | NLP | PICCS | ENCS | AICS | CHINA | KECL |
|-----------------|------|-----|------|-----------|--------|-----|-------|------|------|-------|------|
| Ethylene glycol | Т | Х | - | 203-473-3 | - | | Х | Х | Х | Х | Х |

Legend:

X - Listed

E - Indicates a substance that is the subject of a Section 5(e) Consent order under TSCA.

F - Indicates a substance that is the subject of a Section 5(f) Rule under TSCA.

N - Indicates a polymeric substance containing no free-radical initiator in its inventory name but is considered to cover the designated

polymer made with any free-radical initiator regardless of the amount used.

P - Indicates a commenced PMN substance

R - Indicates a substance that is the subject of a Section 6 risk management rule under TSCA.

S - Indicates a substance that is identified in a proposed or final Significant New Use Rule

T - Indicates a substance that is the subject of a Section 4 test rule under TSCA.

XU - Indicates a substance exempt from reporting under the Inventory Update Rule, i.e. Partial Updating of the TSCA Inventory Data Base Production and Site Reports (40 CFR 710(B).

Y1 - Indicates an exempt polymer that has a number-average molecular weight of 1,000 or greater.

Y2 - Indicates an exempt polymer that is a polyester and is made only from reactants included in a specified list of low concern reactants that comprises one of the eligibility criteria for the exemption rule.

U.S. Federal Regulations

TSCA 12(b)

Not applicable

SARA 313

| Component | CAS-No | Weight % | SARA 313 - Threshold Values % |
|-----------------|----------|----------|----------------------------------|
| Ethylene glycol | 107-21-1 | >95 | 1.0 |

| SARA 311/312 Hazardous Categorization | |
|---------------------------------------|-----|
| Acute Health Hazard | Yes |
| Chronic Health Hazard | Yes |
| Fire Hazard | No |
| Sudden Release of Pressure Hazard | No |
| Reactive Hazard | No |

Clean Water Act Not applicable

Clean Air Act

| Component | HAPS Data | Class 1 Ozone Depletors | Class 2 Ozone Depletors |
|-----------------|-----------|-------------------------|-------------------------|
| Ethylene glycol | Х | | - |

OSHA - Occupational Safety and Health Administration

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

| Component | Hazardous Substances RQs | CERCLA EHS RQs |
|-----------------|--------------------------|----------------|
| Ethylene glycol | 5000 lb | - |

California Proposition 65

This product does not contain any Proposition 65 chemicals.

State Right-to-Know

| Component | Massachusetts | New Jersey | Pennsylvania | Illinois | Rhode Island |
|-----------------|---------------|------------|--------------|----------|--------------|
| Ethylene glycol | Х | Х | Х | Х | - |

U.S. Department of Transportation

| Reportable Quantity (RQ): | Υ |
|-----------------------------|---|
| DOT Marine Pollutant | Ν |
| DOT Severe Marine Pollutant | Ν |

U.S. Department of Homeland Security

This product does not contain any DHS chemicals.

Other International Regulations


Mexico - Grade Slight risk, Grade 1

Canada

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS contains all the information required by the CPR.

| WHMIS Hazard | Class |
|--------------|-------|
|--------------|-------|

D1B Toxic materials D2A Very toxic materials



16. Other information

| Prepared By | Regulatory Affairs Thermo Fisher Scientific Email: EMSDS.RA@thermofisher.com |
|--|--|
| Creation Date Revision Date Print Date Revision Summary | 02-Feb-2010 13-Feb-2014 13-Feb-2014 This document has been updated to comply with the US OSHA HazCom 2012 Standard replacing the current legislation under 29 CFR 1910.1200 to align with the Globally Harmonized System of Classification and Labeling of Chemicals (GHS). |

Disclaimer

The information provided on this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

End of SDS