UNIVAR USA INC.

MATERIAL SAFETY DATA SHEET

MAINFRAME UPLOAD DATE: 09/13/06

PAGE: 001

VERSION: 005

PRODUCT: COPPER SULFATE

ORDER NO: 639730 PROD NO: 681740

WEYLCHEM US INC 2114 LARRY JEFFERS RD

ELGIN

,SC 29045

UNIVAR USA INC.

17425 NE UNION HILL RD , REDMOND

(425)889-3400 , WA 98052

------ EMERGENCY ASSISTANCE

FOR EMERGENCY ASSISTANCE INVOLVING CHEMICALS CALL - CHEMTREC (800)424-9300

PRODUCT NAME:

COPPER SULFATE

MSDS NUMBER:

MZC5918

DATE ISSUED:

9/12/2006

SUPERSEDES:

12/8/2004

ISSUED BY:

008614

_______ CUPRIC SULFATE

1. PRODUCT IDENTIFICATION

COPPER (II) SULFATE PENTAHYDRATE (1:1:5); BLUE VITRIOL;

SULFURIC ACID COPPER (2+) SALT (1:1), PENTAHYDRATE

7758-98-7 (ANHYDROUS) 7758-99-8 (PENTAHYDRATE)

MOLECULAR WEIGHT: 249.68

CHEMICAL FORMULA: CUSO4 5H20

DISTRIBUTED BY: UNIVAR USA INC.

17425 NE UNION HILL ROAD

UNIVAR USA INC. MATERIAL SAFETY DATA SHEET

PAGE: 002 VERSION: 005

MAINFRAME UPLOAD DATE: 09/13/06

PRODUCT: COPPER SULFATE

ORDER NO: 639730

PROD NO: 681740 The state of the s

REDMOND, WA 98052

425-889-3400

2. COMPOSITION/INFORMATION ON INGREDIENTS

INGREDIENT

CAS NO PERCENT ______

HAZARDOUS

CUPRIC SULFATE

7758-98-7 100%

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

WARNING! HARMFUL IF SWALLOWED. AFFECTS THE LIVER AND KIDNEYS. CAUSES IRRITATION TO SKIN, EYES AND RESPIRATORY TRACT.

POTENTIAL HEALTH EFFECTS

INHALATION:

CAUSES IRRITATION TO RESPIRATORY TRACT, SYMPTOMS MAY INCLUDE COUGHING, SORE THROAT, AND SHORTNESS OF BREATH. MAY RESULT IN ULCERATION AND PERFORATION OF RESPIRATORY TRACT. WHEN HEATED, THIS COMPOUND MAY GIVE OFF COPPER FUME, WHICH CAN CAUSE SYMPTOMS SIMILAR TO THE COMMON COLD, INCLUDING CHILLS AND STUFFINESS OF THE HEAD.

INGESTION:

MAY CAUSE BURNING PAIN IN THE MOUTH, ESOPHAGUS, AND STOMACH. HEMORRHAGIC GASTRITIS, NAUSEA, VOMITING, ABDOMINAL PAIN, METALLIC TASTE, AND DIARRHEA MAY OCCUR. IF VOMITING DOES NOT OCCUR IMMEDIATELY SYSTEMIC COPPER POISONING MAY OCCUR. SYMPTOMS MAY INCLUDE CAPILLARY DAMAGE, HEADACHE, COLD SWEAT, WEAK PULSE, KIDNEY AND LIVER DAMAGE, CENTRAL NERVOUS EXCITATION FOLLOWED BY DEPRESSION, JAUNDICE, CONVULSIONS, BLOOD EFFECTS, PARALYSIS AND COMA. DEATH MAY OCCUR FROM SHOCK OR RENAL FAILURE. FATALITIES HAVE OCCURRED AS A RESULT OF INGESTING GRAM QUANTITIES OF COPPER SULFATE.

SKIN CONTACT:

MAY CAUSE IRRITATION AND ITCHING.

EYE CONTACT:

DUST MAY CAUSE IRRITATION. CONTACT MAY CAUSE CONJUNCTIVITIS, ULCERATION, OR CLOUDING OF THE CORNEA.

CHRONIC EXPOSURE:

PROLONGED OR REPEATED SKIN EXPOSURE MAY CAUSE DERMATITIS. PROLONGED OR

UNIVAR USA INC.
MATERIAL SAFETY DATA SHEE

MSDS NO: MZC5918 MATERIAL SAFETY DATA SHEET MAINFRAME UPLOAD DATE: 09/13/06

PRODUCT: COPPER SULFATE

ORDER NO: 639730 PROD NO: 681740

PAGE: 003

VERSION: 005

REPEATED EXPOSURE TO DUSTS OF COPPER SALTS MAY CAUSE DISCOLORATION OF THE SKIN OR HAIR, BLOOD AND LIVER DAMAGE, ULCERATION AND PERFORATION OF THE NASAL SEPTUM, RUNNY NOSE, METALLIC TASTE, AND ATROPHIC CHANGES AND IRRITATION OF THE MUCOUS MEMBRANES.

AGGRAVATION OF PRE-EXISTING CONDITIONS:
PERSONS WITH PRE-EXISTING SKIN DISORDERS, IMPAIRED LIVER, KIDNEY, OR
PULMONARY FUNCTION, GLUCOSE 6-PHOSPHATE-DEHYDROGENASE DEFICIENCY, OR
PRE-EXISTING WILSON'S DISEASE MAY BE MORE SUSCEPTIBLE TO THE EFFECTS OF
THIS MATERIAL.

4. FIRST AID MEASURES

INHALATION:

REMOVE TO FRESH AIR. IF NOT BREATHING, GIVE ARTIFICIAL RESPIRATION. IF BREATHING IS DIFFICULT, GIVE OXYGEN. CALL A PHYSICIAN.

INGESTION:

INDUCE VOMITING IMMEDIATELY AS DIRECTED BY MEDICAL PERSONNEL. NEVER GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON. CALL A PHYSICIAN IMMEDIATELY.

SKIN CONTACT:

IN CASE OF CONTACT, WIPE OFF EXCESS MATERIAL FROM SKIN THEN IMMEDIATELY FLUSH SKIN WITH PLENTY OF WATER FOR AT LEAST 15 MINUTES. REMOVE CONTAMINATED CLOTHING AND SHOES. WASH CLOTHING BEFORE REUSE. CALL A PHYSICIAN.

EYE CONTACT:

IMMEDIATELY FLUSH EYES WITH PLENTY OF WATER FOR AT LEAST 15 MINUTES, LIFTING LOWER AND UPPER EYELIDS OCCASIONALLY. GET MEDICAL ATTENTION IMMEDIATELY.

5. FIRE FIGHTING MEASURES

FIRE:

NOT CONSIDERED TO BE A FIRE HAZARD.

EXPLOSION:

NOT CONSIDERED TO BE AN EXPLOSION HAZARD. SEALED CONTAINER MAY RUPTURE DURING FIRE CONDITIONS FROM PRESSURE WATER VAPOR RELEASE.

FIRE EXTINGUISHING MEDIA:

USE ANY MEANS SUITABLE FOR EXTINGUISHING SURROUNDING FIRE. WATER SPRAY MAY BE USED TO KEEP FIRE EXPOSED CONTAINERS COOL.

UNIVAR USA INC. MATERIAL SAFETY DATA SHEET

PAGE: 004

MAINFRAME UPLOAD DATE: 09/13/06

VERSION: 005

San Barrier

PRODUCT: COPPER SULFATE

ORDER NO: 639730 PROD NO: 681740

SPECIAL INFORMATION:

IN THE EVENT OF A FIRE, WEAR FULL PROTECTIVE CLOTHING AND NIOSH-APPROVED SELF-CONTAINED BREATHING APPARATUS WITH FULL FACEPIECE OPERATED IN THE PRESSURE DEMAND OR OTHER POSITIVE PRESSURE MODE. WHEN HEATED ABOVE 110C (230F) MATERIAL WILL MELT. AVOID USING A DIRECT WATER STREAM ON MOLTEN MATERIAL AS IT MAY CAUSES SPLATTERING.

6. ACCIDENTAL RELEASE MEASURES

VENTILATE AREA OF LEAK OR SPILL. KEEP UNNECESSARY AND UNPROTECTED PEOPLE AWAY FROM AREA OF SPILL. WEAR APPROPRIATE PERSONAL PROTECTIVE EQUIPMENT AS SPECIFIED IN SECTION 8. SPILLS: PICK UP AND PLACE IN A SUITABLE CONTAINER FOR RECLAMATION OR DISPOSAL, USING A METHOD THAT DOES NOT GENERATE DUST. US REGULATIONS (CERCLA) REQUIRE REPORTING SPILLS AND RELEASES TO SOIL, WATER AND AIR IN EXCESS OF REPORTABLE QUANTITIES. THE TOLL FREE NUMBER FOR THE US COAST GUARD NATIONAL RESPONSE CENTER IS (800) 424-8802.

7. HANDLING AND STORAGE

KEEP IN A TIGHTLY CLOSED CONTAINER, STORED IN A COOL, DRY, VENTILATED AREA. PROTECT AGAINST PHYSICAL DAMAGE. ISOLATE FROM INCOMPATIBLE SUBSTANCES. SOLUTIONS ARE CORROSIVE TO MILD STEEL. CONTAINERS OF THIS MATERIAL MAY BE HAZARDOUS WHEN EMPTY SINCE THEY RETAIN PRODUCT RESIDUES (DUST, SOLIDS): OBSERVE ALL WARNINGS AND PRECAUTIONS LISTED FOR THE PRODUCT.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

AIRBORNE EXPOSURE LIMITS:

- -OSHA PERMISSIBLE EXPOSURE LIMIT (PEL):
- 1 MG/M3 (TWA) FOR COPPER DUSTS & MISTS AS CU
- -ACGIH THRESHOLD LIMIT VALUE (TLV):
- 1 MG/M3 (TWA) FOR COPPER DUSTS & MISTS AS CU

VENTILATION SYSTEM:

A SYSTEM OF LOCAL AND/OR GENERAL EXHAUST IS RECOMMENDED TO KEEP EMPLOYEE EXPOSURES BELOW THE AIRBORNE EXPOSURE LIMITS. LOCAL EXHAUST VENTILATION IS GENERALLY PREFERRED BECAUSE IT CAN CONTROL THE EMISSIONS OF THE CONTAMINANT AT ITS SOURCE, PREVENTING DISPERSION OF IT INTO THE GENERAL WORK AREA. PLEASE REFER TO THE ACGIH DOCUMENT, "INDUSTRIAL VENTILATION, A MANUAL OF RECOMMENDED PRACTICES", MOST RECENT EDITION, FOR DETAILS.

UNIVAR USA INC. MATERIAL SAFETY DATA SHEET

PAGE: 005 VERSION: 005

MAINFRAME UPLOAD DATE: 09/13/06

PRODUCT: COPPER SULFATE

ORDER NO: 639730 PROD NO : 681740

PERSONAL RESPIRATORS (NIOSH APPROVED): IF THE EXPOSURE LIMIT IS EXCEEDED AND ENGINEERING CONTROLS ARE NOT FEASIBLE, A HALF FACEPIECE PARTICULATE RESPIRATOR (NIOSH TYPE N95 OR BETTER FILTERS) MAY BE WORN FOR UP TO TEN TIMES THE EXPOSURE LIMIT OR THE MAXIMUM USE CONCENTRATION SPECIFIED BY THE APPROPRIATE REGULATORY AGENCY OR RESPIRATOR SUPPLIER, WHICHEVER IS LOWEST.. A FULL-FACE PIECE PARTICULATE RESPIRATOR (NIOSH TYPE NIOO FILTERS) MAY BE WORN UP TO 50 TIMES THE EXPOSURE LIMIT, OR THE MAXIMUM USE CONCENTRATION SPECIFIED BY THE APPROPRIATE REGULATORY AGENCY, OR RESPIRATOR SUPPLIER, WHICHEVER IS LOWEST. IF OIL PARTICLES (E.G. LUBRICANTS, CUTTING FLUIDS, GLYCERINE, ETC.) ARE PRESENT, USE A NIOSH TYPE R OR P FILTER. FOR EMERGENCIES OR INSTANCES WHERE THE EXPOSURE LEVELS ARE NOT KNOWN, USE A FULL-FACEPIECE POSITIVE-PRESSURE, AIR-SUPPLIED RESPIRATOR. WARNING: AIR-PURIFYING RESPIRATORS DO NOT PROTECT WORKERS IN OXYGEN-DEFICIENT ATMOSPHERES.

SKIN PROTECTION:

WEAR PROTECTIVE GLOVES AND CLEAN BODY-COVERING CLOTHING.

EYE PROTECTION:

USE CHEMICAL SAFETY GOGGLES. MAINTAIN EYE WASH FOUNTAIN AND QUICK-DRENCH FACILITIES IN WORK AREA.

9. PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE:

TRANSPARENT BLUE TRICLINIC CRYSTALS OR CRYSTALLINE GRANULES DECOMPOSES WITH LOSS OF 5H2O OR POWDER.

BOILING POINT: > 150C (> 302F)

ODOR: ODORLESS.

TEMPERATURE.

MELTING POINT:

110C (230F) LOSES 4H2O @ THIS

SOLUBILITY:

31.6G/100CC H20 a OC (32F)

VAPOR DENSITY (AIR=1): NO INFORMATION FOUND.

SPECIFIC GRAVITY: 2.28 a 15.6C/4C

VAPOR PRESSURE (MM HG): NO INFORMATION FOUND.

4.0 (0.2 M SOLUTION)

EVAPORATION RATE (BUAC=1): (WATER=1): SLOWLY EFFLORESCENT.

% VOLATILES BY VOLUME a 21C (70F):

UNIVAR USA INC.

MATERIAL SAFETY DATA SHEET

MAINFRAME UPLOAD DATE: 09/13/06

PAGE: 006

VERSION: 005

PRODUCT: COPPER SULFATE

ORDER NO: 639730 PROD NO: 681740

10. STABILITY AND REACTIVITY

STABILITY:

9 . .

STABLE UNDER ORDINARY CONDITIONS OF USE AND STORAGE.

HAZARDOUS DECOMPOSITION PRODUCTS:

WHEN HEATED TO DECOMPOSITION CUPRIC OXIDE AND SULFUR OXIDE MAY FORM.

HAZARDOUS POLYMERIZATION:

WILL NOT OCCUR.

INCOMPATIBILITIES:

SUBSTANCE WILL IGNITE HYDROXYLAMINE. SOLUTIONS ARE ACIDIC AND CAN REACT WITH MAGNESIUM TO EVOLVE FLAMMABLE HYDROGEN GAS. MAY REACT WITH ACETYLENE TO FORM DANGEROUS ACETYLIDES.

CONDITIONS TO AVOID:

INCOMPATIBLES.

11. TOXICOLOGICAL INFORMATION

ORAL RAT LD50: 300 MG/KG. INVESTIGATED AS A TUMORIGEN, MUTAGEN.

---NTP CARCINOGEN---

INGREDIENT KNOWN ANTICIPATED IARC CATEGORY

CUPRIC SULFATE (7758-98-7) NO NO NONE

12. ECOLOGICAL INFORMATION

ENVIRONMENTAL FATE:

DATA FOR ANHYDROUS MATERIAL UNLESS OTHERWISE NOTED. WHEN RELEASED INTO THE SOIL, THIS MATERIAL IS NOT EXPECTED TO BIODEGRADE. WHEN RELEASED INTO THE SOIL, THIS MATERIAL MAY LEACH INTO GROUNDWATER. WHEN RELEASED INTO WATER, THIS MATERIAL IS NOT EXPECTED TO BIODEGRADE. WHEN RELEASED INTO WATER, THIS MATERIAL IS NOT EXPECTED TO EVAPORATE SIGNIFICANTLY. THIS MATERIAL IS EXPECTED TO SIGNIFICANTLY BIOACCUMULATE. THIS MATERIAL HAS AN EXPERIMENTALLY-DETERMINED BIOCONCENTRATION FACTOR (BCF) OF GREATER THAN 100. BIOACCUMULATION DATA FOR COPPER.

REPORT NUMBER: 703

UNIVAR USA INC.

MATERIAL SAFETY DATA SHEET

MSDS NO: MZC5918 MAINFRAME UPLOAD DATE: 09/13/06

PRODUCT: COPPER SULFATE

ORDER NO: 639730 PROD NO: 681740

PAGE: 007

VERSION: 005

-- G. Ch. - 508

ENVIRONMENTAL TOXICITY:

THIS MATERIAL IS EXPECTED TO BE VERY TOXIC TO AQUATIC LIFE. THE LC50/96-HOUR VALUES FOR FISH ARE LESS THAN 1 MG/L. THE IC50/72-HOUR VALUES FOR ALGAE ARE LESS THAN 1 MG/L. TOXICITY DATA FOR COPPER.

CUPRIC SULFATE:

96 HR LC50 RAINBOW TROUT: 0.1 MG/L;

48 HR LC50 BLUEGILL: 0.6 MG/L;

96 HR LC50 GOLDFISH: 0.1 MG/L

48 HR EC50 WATER FLEA: 0.024 MG/L

13. DISPOSAL CONSIDERATIONS

WHATEVER CANNOT BE SAVED FOR RECOVERY OR RECYCLING SHOULD BE MANAGED IN AN APPROPRIATE AND APPROVED WASTE DISPOSAL FACILITY. PROCESSING, USE OR CONTAMINATION OF THIS PRODUCT MAY CHANGE THE WASTE MANAGEMENT OPTIONS. STATE AND LOCAL DISPOSAL REGULATIONS MAY DIFFER FROM FEDERAL DISPOSAL REGULATIONS.

DISPOSE OF CONTAINER AND UNUSED CONTENTS IN ACCORDANCE WITH FEDERAL, STATE AND LOCAL REQUIREMENTS.

14. TRANSPORT INFORMATION

DOMESTIC (LAND, D.O.T.)

PROPER SHIPPING NAME: RQ, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,

N.O.S. (CUPRIC SULFATE)

HAZARD CLASS: 9

UN/NA: UN3077

PACKING GROUP: III

INTERNATIONAL (WATER, I.M.O.)

PROPER SHIPPING NAME: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.

(CUPRIC SULFATE)

HAZARD CLASS: UN/NA:

∉9

UN3077

PACKING GROUP: III

INTERNATIONAL (AIR, I.C.A.O.)

PROPER SHIPPING NAME: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.

(CUPRIC SULFATE)

HAZARD CLASS:

UN/NA:

UN3077

PACKING GROUP: III

UNIVAR USA INC.

MATERIAL SAFETY DATA SHEET

MAINFRAME UPLOAD DATE: 09/13/06

PAGE: 008

VERSION: 005

PRODUCT: COPPER SULFATE

ORDER NO: 639730

PROD NO: 681740

_____ 15. REGULATORY INFORMATION -----/CHEMICAL INVENTORY STATUS - PART 1/---------------TSCA EC JAPAN AUSTRALIA INGREDIENT ____ _____ CUPRIC SULFATE (7758-98-7) YES YES YES -----/CHEMICAL INVENTORY STATUS - PART 2/-------------------CANADA--KOREA DSL NDSL INGREDIENT PHIL. _ _ _ ____ ----YES CUPRIC SULFATE (7758-98-7) YES YES NO -----/FEDERAL, STATE & INTERNATIONAL REGULATIONS - PART 1/--------SARA 302- ----SARA 313----LIST CHEMICAL CATG INGREDIENT RQ TPQ _____ -------_____ NO CUPRIC SULFATE (7758-98-7) NO NO COPPER COMPOUN -----/FEDERAL, STATE & INTERNATIONAL REGULATIONS - PART 2/--------RCRA- -TSCA-INGREDIENT CERCLA 261.33 8(D) ~ ------------CUPRIC SULFATE (7758-98-7) 10 NO NO CHEMICAL WEAPONS CONVENTION: NO TSCA 12(B): NO CDTA: NO SARA 311/312: ACUTE: YES CHRONIC: YES FIRE: NO PRESSURE: NO REACTIVITY: NO (PURE / SOLID) AUSTRALIAN HAZCHEM CODE: NONE ALLOCATED. POISON SCHEDULE: S5

WHMIS: THIS MSDS HAS BEEN PREPARED ACCORDING TO THE HAZARD CRITERIA OF

THE CONTROLLED PRODUCTS REGULATIONS (CPR) AND THE MSDS CONTAINS

16. OTHER INFORMATION

NFPA RATINGS:

HEALTH: 2 FLAMMABILITY: 0 REACTIVITY: 0

ALL OF THE INFORMATION REQUIRED BY THE CPR.

UNIVAR USA INC.
MATERIAL SAFETY DATA SHEET

PAGE: 009

VERSION: 005

PRODUCT: COPPER SULFATE

MAINFRAME UPLOAD DATE: 09/13/06

YOUR LOCAL UNIVAR SALES OFFICE.

	ORDER NO: 639730 PROD NO : 681740
FOR ADDITIONAL INFORMATION	
CONTACT: MSDS COORDINATOR UNIVAR USA INC. DURING BUSINESS HOURS, PACIFIC TIME (425)	889-3400
12/18/08 08:07 PRODUCT: 681740 CUST NO: 612547	ORDER NO: 639730
NOTICE	
****** UNIVAR USA INC("UNIVAR"), EXPRESSLY DISCLAIMS	
ALL EXPRESS OR IMPLIED WARRANTIES OF MERCHANTABILITY AND FI	Mark Control
PARTICULAR PURPOSE, WITH RESPECT TO THE PRODUCT OR INFORMAT	ION PROVIDED
HEREIN, AND SHALL UNDER NO CIRCUMSTANCES BE LIABLE FOR INCI	
CONSEQUENTIAL DAMGAGES. **	e de la companya de La companya de la co
DO NOT USE INGREDIENT INFORMATION AND/OR PERCENTAGES IN PRODUCT SPECIFICATION. FOR PRODUCT SPECIFICATION INFORMATION	

ALL INFORMATION APPEARING HEREIN IS BASED UPON DATA OBTAINED FROM THE MANUFACTURER AND/OR RECOGNIZED TECHNICAL SOURCES. WHILE THE INFORMATION IS BELIEVED TO BE ACCURATE, UNIVAR MAKES NO REPRESENTATIONS AS TO ITS ACCURACY OR SUFFICIENCY. CONDITIONS OF USE ARE BEYOND UNIVARS CONTROL AND THEREFORE USERS ARE RESPONSIBLE TO VERIFY THIS DATA UNDER THEIR OWN OPERATING CONDITIONS TO DETERMINE WHETHER THE PRODUCT IS SUITABLE FOR THEIR PARTICULAR PURPOSES AND THEY ASSUME ALL RISKS OF THEIR USE, HANDLING, AND DISPOSAL OF THE PRODUCT, OR FROM THE PUBLICATION OR USE OF, OR RELIANCE UPON, INFORMATION CONTAINED HEREIN. THIS INFORMATION RELATES ONLY TO THE PRODUCT DESIGNATED HEREIN, AND DOES NOT RELATE TO ITS USE IN COMBINATION WITH ANY OTHER MATERIAL OR IN ANY OTHER PROCESS.

SPECIFICATION SHEET AND/OR A CERTIFICATE OF ANALYSIS. THESE CAN BE OBTAINED FROM

* * * END OF MSDS * * *